

Marija Bakulich

From: Anandita Pujara
Sent: Thursday, 31 July 2014 11:22 a.m.
To: Caron Greenough
Subject: Otaihanga Tube data - week 1
Attachments: nbd 1_300m back from roundabout.rtf; nbd 2_street light start of footpath.rtf; nbd 3_one street light back from roundabout.rtf; sbd 1_roundabout sign about 300 m nth of round about.rtf; sbd 2_third st light nouth of round about.rtf; sbd 3_walkway begins sign nth of roundabout.rtf

Hi Caron,

I have created the summary speed reports. Please see the attached documents.

Andrew also informed that the North bound location closest to the roundabout stopped counting on the second day, it looks like water may have been sucked into one of the tubes which stopped it from working. They have laid out more tubes for the second week of traffic counting.

I'll find out a way to create 15-minute speed report and I'll send those reports to you shortly.

Thanks and Regards,
Anandita

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

MetroCount Traffic Executive Speed Statistics

SpeedStat-172 -- English (ENZ)

Datasets:

Site: [Otaihanga nbd1] nbd about 300m back from round about
Direction: 1 - North bound, A hit first. **Lane:** 2
Survey Duration: 23:54 Tuesday, 15 July 2014 => 20:24 Thursday, 24 July 2014
Zone:
File: Otaihanga nbd1 2014-07-24 2025.EC2 (Plus)
Identifier: DF93SF7A MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: North (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 87196 / 98186 (88.81%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-172

Site: Otaihanga nbd1.2.0N
Description: nbd about 300m back from round about
Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(N) Sp(10,160) Headway(>0)

Vehicles = 87196
Posted speed limit = 80 km/h, Exceeding = 691 (0.79%), Mean Exceeding = 83.76 km/h
Maximum = 120.1 km/h, Minimum = 10.0 km/h, Mean = 62.8 km/h
85% Speed = 69.5 km/h, 95% Speed = 73.4 km/h, Median = 63.4 km/h
20 km/h Pace = 54 - 74, Number in Pace = 76410 (87.63%)
Variance = 65.35, Standard Deviation = 8.08 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0 0.0%	0 0.0%	87196 100.0%	0.00	0.00	0.00
10 - 20	354 0.4%	354 0.4%	86842 99.6%	0.00	0.00	0.00
20 - 30	596 0.7%	950 1.1%	86246 98.9%	0.00	0.00	0.00
30 - 40	616 0.7%	1566 1.8%	85630 98.2%	0.00	0.00	0.00
40 - 50	1987 2.3%	3553 4.1%	83643 95.9%	0.00	0.00	0.00
50 - 60	21525 24.7%	25078 28.8%	62118 71.2%	0.00	0.00	0.00
60 - 70	50296 57.7%	75374 86.4%	11822 13.6%	0.00	0.00	0.00
70 - 80	11131 12.8%	86505 99.2%	691 0.8%	0.00	0.00	0.00
80 - 90	643 0.7%	87148 99.9%	48 0.1%	0.00	0.00	0.00
90 - 100	31 0.0%	87179 100.0%	17 0.0%	0.00	0.00	0.00
100 - 110	13 0.0%	87192 100.0%	4 0.0%	0.00	0.00	0.00
110 - 120	3 0.0%	87195 100.0%	1 0.0%	0.00	0.00	0.00
120 - 130	1 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
130 - 140	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
140 - 150	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
150 - 160	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
160 - 170	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
170 - 180	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
180 - 190	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00
190 - 200	0 0.0%	87196 100.0%	0 0.0%	0.00	0.00	0.00

Total Speed Rating = 0.00
Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	86505 99.2%	691 0.8%

MetroCount Traffic Executive Speed Statistics

SpeedStat-173 -- English (ENZ)

Datasets:

Site: [Otaihanga nbd2] nbd street light start of footpath
Direction: 1 - North bound, A hit first. Lane: 2
Survey Duration: 0:13 Wednesday, 16 July 2014 => 20:34 Thursday, 24 July 2014
Zone:
File: Otaihanga nbd2 2014-07-24 2034.EC2 (Plus)
Identifier: DG57P2S9 MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Thursday, 17 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: North (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 75219 / 98094 (76.68%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-173

Site: Otaihanga nbd2.2.0N
Description: nbd street light start of footpath
Filter time: 0:00 Thursday, 17 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(N) Sp(10,160) Headway(>0)

Vehicles = 75219

Posted speed limit = 80 km/h, Exceeding = 220 (0.29%), Mean Exceeding = 84.30 km/h

Maximum = 116.4 km/h, Minimum = 10.0 km/h, Mean = 59.3 km/h

85% Speed = 65.9 km/h, 95% Speed = 70.2 km/h, Median = 59.8 km/h

20 km/h Pace = 50 - 70, Number in Pace = 65355 (86.89%)

Variance = 67.84, Standard Deviation = 8.24 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0 0.0%	0 0.0%	75219 100.0%	0.00	0.00	0.00
10 - 20	502 0.7%	502 0.7%	74717 99.3%	0.00	0.00	0.00
20 - 30	523 0.7%	1025 1.4%	74194 98.6%	0.00	0.00	0.00
30 - 40	875 1.2%	1900 2.5%	73319 97.5%	0.00	0.00	0.00
40 - 50	4105 5.5%	6005 8.0%	69214 92.0%	0.00	0.00	0.00
50 - 60	32065 42.6%	38070 50.6%	37149 49.4%	0.00	0.00	0.00
60 - 70	33099 44.0%	71169 94.6%	4050 5.4%	0.00	0.00	0.00
70 - 80	3830 5.1%	74999 99.7%	220 0.3%	0.00	0.00	0.00
80 - 90	198 0.3%	75197 100.0%	22 0.0%	0.00	0.00	0.00
90 - 100	15 0.0%	75212 100.0%	7 0.0%	0.00	0.00	0.00
100 - 110	4 0.0%	75216 100.0%	3 0.0%	0.00	0.00	0.00
110 - 120	3 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
120 - 130	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
130 - 140	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
140 - 150	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
150 - 160	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
160 - 170	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
170 - 180	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
180 - 190	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00
190 - 200	0 0.0%	75219 100.0%	0 0.0%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	74999 99.7%	220 0.3%

MetroCount Traffic Executive Speed Statistics

SpeedStat-174 -- English (ENZ)

Datasets:

Site: [Otaihanga nbd3] nbd one street light back from roundabout
Direction: 1 - North bound, A hit first. **Lane:** 2
Survey Duration: 0:33 Wednesday, 16 July 2014 => 20:45 Thursday, 24 July 2014
Zone:
File: Otaihanga nbd3 2014-07-24 2045.EC2 (Plus)
Identifier: DG29Y7RN MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Thursday, 17 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: North (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 3827 / 15707 (24.36%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-174

Site: Otaihanga nbd3.2.0N
Description: nbd one street light back from roundabout
Filter time: 0:00 Thursday, 17 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: Cis(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(N) Sp(10,160) Headway(>0)

Vehicles = 3827

Posted speed limit = 80 km/h, Exceeding = 0 (0.00%), Mean Exceeding = 0.00 km/h

Maximum = 70.6 km/h, Minimum = 10.7 km/h, Mean = 45.5 km/h

85% Speed = 52.6 km/h, 95% Speed = 56.5 km/h, Median = 46.1 km/h

20 km/h Pace = 36 - 56, Number in Pace = 3202 (83.67%)

Variance = 62.63, Standard Deviation = 7.91 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0 0.0%	0 0.0%	3827 100.0%	0.00	0.00	0.00
10 - 20	30 0.8%	30 0.8%	3797 99.2%	0.00	0.00	0.00
20 - 30	139 3.6%	169 4.4%	3658 95.6%	0.00	0.00	0.00
30 - 40	596 15.6%	765 20.0%	3062 80.0%	0.00	0.00	0.00
40 - 50	1974 51.6%	2739 71.6%	1088 28.4%	0.00	0.00	0.00
50 - 60	1024 26.8%	3763 98.3%	64 1.7%	0.00	0.00	0.00
60 - 70	63 1.6%	3826 100.0%	1 0.0%	0.00	0.00	0.00
70 - 80	1 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
80 - 90	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
90 - 100	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
100 - 110	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
110 - 120	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
120 - 130	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
130 - 140	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
140 - 150	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
150 - 160	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
160 - 170	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
170 - 180	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
180 - 190	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00
190 - 200	0 0.0%	3827 100.0%	0 0.0%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	3827 100.0%	0 0.0%

MetroCount Traffic Executive Speed Statistics

SpeedStat-175 -- English (ENZ)

Datasets:

Site: [Otaihanga sb1] Sth bound roundabout sign about 300m nth of round about
Direction: 3 - South bound, A hit first. Lane: 1
Survey Duration: 23:12 Tuesday, 15 July 2014 => 21:03 Thursday, 24 July 2014
Zone:
File: Otaihanga sb1 2014-07-24 2104.EC1 (Plus)
Identifier: S437R13Y MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: South (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 103870 / 116898 (88.86%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-175

Site: Otaihanga sb1.1.0S
Description: Sth bound roundabout sign about 300m nth of round about
Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: CIs(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(S) Sp(10,160) Headway(>0)

Vehicles = 103870

Posted speed limit = 80 km/h, Exceeding = 1400 (1.35%), Mean Exceeding = 82.93 km/h

Maximum = 111.9 km/h, Minimum = 13.4 km/h, Mean = 65.0 km/h

85% Speed = 71.3 km/h, 95% Speed = 75.6 km/h, Median = 65.2 km/h

20 km/h Pace = 55 - 75, Number in Pace = 90795 (87.41%)

Variance = 46.44, Standard Deviation = 6.81 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0 0.0%	0 0.0%	103870 100.0%	0.00	0.00	0.00
10 - 20	8 0.0%	8 0.0%	103862 100.0%	0.00	0.00	0.00
20 - 30	36 0.0%	44 0.0%	103826 100.0%	0.00	0.00	0.00
30 - 40	228 0.2%	272 0.3%	103598 99.7%	0.00	0.00	0.00
40 - 50	1768 1.7%	2040 2.0%	101830 98.0%	0.00	0.00	0.00
50 - 60	19615 18.9%	21655 20.8%	82215 79.2%	0.00	0.00	0.00
60 - 70	59755 57.5%	81410 78.4%	22460 21.6%	0.00	0.00	0.00
70 - 80	21060 20.3%	102470 98.7%	1400 1.3%	0.00	0.00	0.00
80 - 90	1355 1.3%	103825 100.0%	45 0.0%	0.00	0.00	0.00
90 - 100	40 0.0%	103865 100.0%	5 0.0%	0.00	0.00	0.00
100 - 110	4 0.0%	103869 100.0%	1 0.0%	0.00	0.00	0.00
110 - 120	1 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
120 - 130	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
130 - 140	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
140 - 150	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
150 - 160	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
160 - 170	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
170 - 180	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
180 - 190	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00
190 - 200	0 0.0%	103870 100.0%	0 0.0%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	102470 98.7%	1400 1.3%

MetroCount Traffic Executive Speed Statistics

SpeedStat-176 -- English (ENZ)

Datasets:

Site: [Otaihanga sb2] sbd third st light nth of round about
Direction: 3 - South bound, A hit first. Lane: 1
Survey Duration: 23:30 Tuesday, 15 July 2014 => 21:16 Thursday, 24 July 2014
Zone:
File: Otaihanga sb2 2014-07-24 2116.EC1 (Plus)
Identifier: DG07NQ1E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: South (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 103176 / 116219 (88.78%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-176

Site: Otaihanga sb2.1.0S
Description: sbd third st light nth of round about
Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(S) Sp(10,160) Headway(>0)

Vehicles = 103176

Posted speed limit = 80 km/h, Exceeding = 496 (0.48%), Mean Exceeding = 83.13 km/h

Maximum = 99.5 km/h, Minimum = 10.4 km/h, Mean = 61.3 km/h

85% Speed = 67.7 km/h, 95% Speed = 72.0 km/h, Median = 61.6 km/h

20 km/h Pace = 51 - 71, Number in Pace = 89952 (87.18%)

Variance = 48.48, Standard Deviation = 6.96 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0	0.0%	103176 100.0%	0.00	0.00	0.00
10 - 20	27	0.0%	103149 100.0%	0.00	0.00	0.00
20 - 30	112	0.1%	103037 99.9%	0.00	0.00	0.00
30 - 40	591	0.6%	102446 99.3%	0.00	0.00	0.00
40 - 50	4585	4.4%	97861 94.8%	0.00	0.00	0.00
50 - 60	35786	34.7%	62075 60.2%	0.00	0.00	0.00
60 - 70	52960	51.3%	94061 91.2%	0.00	0.00	0.00
70 - 80	8619	8.4%	102680 99.5%	0.00	0.00	0.00
80 - 90	471	0.5%	103151 100.0%	0.00	0.00	0.00
90 - 100	25	0.0%	103176 100.0%	0.00	0.00	0.00
100 - 110	0	0.0%	103176 100.0%	0.00	0.00	0.00
110 - 120	0	0.0%	103176 100.0%	0.00	0.00	0.00
120 - 130	0	0.0%	103176 100.0%	0.00	0.00	0.00
130 - 140	0	0.0%	103176 100.0%	0.00	0.00	0.00
140 - 150	0	0.0%	103176 100.0%	0.00	0.00	0.00
150 - 160	0	0.0%	103176 100.0%	0.00	0.00	0.00
160 - 170	0	0.0%	103176 100.0%	0.00	0.00	0.00
170 - 180	0	0.0%	103176 100.0%	0.00	0.00	0.00
180 - 190	0	0.0%	103176 100.0%	0.00	0.00	0.00
190 - 200	0	0.0%	103176 100.0%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	102680 99.5%	496 0.5%

MetroCount Traffic Executive Speed Statistics

SpeedStat-177 -- English (ENZ)

Datasets:

Site: [Otaihanga sb3] Sbd walkway begins sign nth of round about
Direction: 3 - South bound, A hit first. Lane: 1
Survey Duration: 23:39 Tuesday, 15 July 2014 => 21:29 Thursday, 24 July 2014
Zone:
File: Otaihanga sb3 2014-07-24 2130.EC1 (Plus)
Identifier: S953YZS MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default (v3.21 - 15322)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 10 - 160 km/h.
Direction: South (bound)
Separation: All - (Headway)
Name: Default Profile
Scheme: Vehicle classification (NZTA2011)
Units: Metric (meter, kilometer, m/s, km/h, kg, tonne)
In profile: Vehicles = 104011 / 119625 (86.95%)

RELEASED UNDER THE
OFFICIAL INFORMATION ACT

Speed Statistics

SpeedStat-177

Site: Otaihanga sb3.1.0S
Description: Sbd walkway begins sign nth of round about
Filter time: 0:00 Wednesday, 16 July 2014 => 0:00 Thursday, 24 July 2014
Scheme: Vehicle classification (NZTA2011)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(S) Sp(10,160) Headway(>0)

Vehicles = 104011
Posted speed limit = 80 km/h, Exceeding = 5 (0.00%), Mean Exceeding = 83.16 km/h
Maximum = 88.3 km/h, Minimum = 10.2 km/h, Mean = 47.4 km/h
85% Speed = 54.4 km/h, 95% Speed = 58.3 km/h, Median = 47.9 km/h
20 km/h Pace = 38 - 58, Number in Pace = 87195 (83.83%)
Variance = 60.35, Standard Deviation = 7.77 km/h

Speed Bins

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 10	0 0.0%	0 0.0%	104011 100.0%	0.00	0.00	0.00
10 - 20	483 0.5%	483 0.5%	103528 99.5%	0.00	0.00	0.00
20 - 30	2736 2.6%	3219 3.1%	100792 96.9%	0.00	0.00	0.00
30 - 40	11990 11.5%	15209 14.6%	88802 85.4%	0.00	0.00	0.00
40 - 50	48814 46.9%	64023 61.6%	39988 38.4%	0.00	0.00	0.00
50 - 60	36607 35.2%	100630 96.7%	3381 3.3%	0.00	0.00	0.00
60 - 70	3237 3.1%	103867 99.9%	144 0.1%	0.00	0.00	0.00
70 - 80	139 0.1%	104006 100.0%	5 0.0%	0.00	0.00	0.00
80 - 90	5 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
90 - 100	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
100 - 110	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
110 - 120	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
120 - 130	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
130 - 140	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
140 - 150	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
150 - 160	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
160 - 170	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
170 - 180	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
180 - 190	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00
190 - 200	0 0.0%	104011 100.0%	0 0.0%	0.00	0.00	0.00

Total Speed Rating = 0.00
Total Moving Energy (Estimated) = 0.00

Speed limit fields

Limit	Below	Above
0 80 (PSL)	104006 100.0%	5 0.0%