

# Contents

1	Introduction	1
1.1	The New Zealand Transport Agency	1
1.2	State Highway 3	1
1.3	The Mt Messenger Bypass	2
1.4	Purpose and structure of the AEE	3
	1.4.1 Structure of AEE	4
2	Notice of Requirement and Resource Consents	7
2.1	Overview	7
	2.1.1 Public notification	7
2.2	Notice of Requirement	7
	2.2.1 Draft NoR conditions	8
	2.2.2 Designation to be reviewed after construction	8
	2.2.3 Waiver of outline plan of works	8
2.3	Applications for resource consents	9
	2.3.1 Land subject to resource consent applications	14
	2.3.2 Consent duration	14
	2.3.3 Draft resource conditions	14
2.4	Lapse	14
2.5	Permitted activities	14
2.6	Additional considerations including under other legislation	18
	2.6.1 Ngāti Tama Treaty Settlement Land	18
3	Background to the Project	20
3.1	Introduction	20
3.2	State Highway 3	20
	3.2.1 Strategic importance	22
	3.2.2 Travel patterns	23
	3.2.3 Economic importance of SH3	25
3.3	Operational problems over Mt Messenger	27
	3.3.1 Safety	28
	3.3.2 Road closures	29
	3.3.3 Road geometry and travel speeds	30
3.4	Developing a solution to the problems at Mt Messenger	31
	3.4.1 History of developing the Project	31

3.4.2	Project confirmation and options assessment	31
3.4.3	Mt Messenger Bypass Project Objectives	32
3.5	Benefits to be delivered by the Project	32
3.5.1	Safety benefits	33
3.5.2	Resilience and journey time benefits	34
3.5.3	Economic benefits	35
3.5.4	Environmental, cultural and social benefits	37
3.6	Ngāti Tama	38
3.7	Natural environment values	40
4	Project description	42
4.1	Introduction	42
4.2	Design Philosophy	42
4.2.1	Design Approach	42
4.2.2	Ngāti Tama cultural inputs	43
4.2.3	Mitigation and biodiversity offset package	43
4.2.4	Landscape and Environment Design	45
4.3	Design Standards and Guidelines	45
4.3.1	Safety in Design and Whole of Life	46
4.4	Road Design	46
4.4.1	Carriageway Design	46
4.4.2	Carriageway Design Standards	48
4.4.3	Operating Speed and Travel Time	48
4.5	Alignment Description by Regions	49
4.5.1	Northern Region	49
4.5.2	New Mt Messenger Tunnel	50
4.5.3	Southern Region	50
4.6	SH3 Tie-In Points	51
4.7	Property Access	51
4.8	Pedestrian and Cycling Provision	51
4.9	Walking Track Access	51
4.10	Maintenance Bays	51
4.11	Traffic Services	52
4.12	Pavements and Surfacing	53
4.13	Cut Slopes and Fill Embankments	53
4.13.1	Cut Slopes	54

4.13.2	Embankments	55
4.13.3	Retaining Walls and MSE Slopes	58
4.14	Bridge Structure	59
4.14.1	Design Standards	60
4.15	Tunnel	61
4.15.1	Power supply	63
4.15.2	Tunnel and Egress Passage Lighting	63
4.15.3	Tunnel Operation and Control System	63
4.15.4	Fire & Life Safety	64
4.15.5	Tunnel control building	65
4.16	Operational Stormwater Management	66
4.16.1	Stormwater Conveyance and Treatment	66
4.16.2	Permanent Stream Diversions	69
4.16.3	Cross Culverts	71
4.17	Network Utilities	73
4.18	Revocation of existing SH3	74
5	Construction of the Project	75
5.1	Overview	75
5.2	Introduction	75
5.3	Construction Environmental Management	76
5.3.1	Construction Environmental Management Plan	76
5.3.2	Recognising Cultural values	76
5.4	Construction method development	76
5.5	Construction programme	77
5.5.1	Construction duration	77
5.5.2	Working hours	77
5.5.3	Construction regions and zones	78
5.5.4	Construction sequence	80
5.6	Construction establishment	82
5.6.1	Main construction yard	83
5.6.2	Secondary construction yards	84
5.7	Site access and haul roads	84
5.7.1	Access philosophy	84
5.7.2	Site access points	85
5.7.3	Haul roads / access tracks	87

5.7.4	Temporary traffic management	87
5.7.5	Construction material sources and transportation	88
5.8	Water & Wastewater	89
5.8.1	Water	89
5.8.2	Wastewater and washwater	90
5.9	Construction workforce and transport	90
5.10	Site communications	90
5.11	Construction lighting	91
5.12	General construction activities	91
5.12.1	Demolition	91
5.12.2	Vegetation clearance	91
5.13	Earthworks	92
5.13.1	Establishment	92
5.13.2	Access tracks	93
5.13.3	Gully clearing and filling	94
5.13.4	Spoil disposal sites	94
5.13.5	Temporary stockpiling	95
5.13.6	Cut slopes	95
5.13.7	Rock cuttings	96
5.13.8	Low earth fill embankments	96
5.13.9	Higher embankments and MSE fills	96
5.13.10	Ground improvements	97
5.13.11	Construction water management	98
5.14	Works in streams	100
5.14.1	Stream realignments	100
5.14.2	Culverts and erosion control and protection structures	100
5.15	Drainage	100
5.16	Bridge construction	101
5.16.1	Bridge foundations	101
5.17	Tunnel construction	103
5.18	Pavement and surfacing	105
5.19	Landscape Restoration	105
5.20	Network utilities	106
5.21	Hazardous substances	106
6	Assessment of alternatives	107

6.1	Introduction	107
6.2	Statutory Context	107
6.2.1	Section 171(1)(b): Notice of Requirement	107
6.2.2	Resource consent applications	107
6.3	Project identification and investigation of alternatives	108
6.3.1	2016 funding announcement and assessment of options	108
6.3.2	November 2016 – January 2017 public consultation	109
6.3.3	2017 assessment of alternatives for the Project	109
7	Engagement	122
7.1	Introduction	122
7.2	Relevant legislation and policy	122
7.3	Transport Agency engagement guidelines	122
7.3.1	Public Engagement Guidelines (2016)	122
7.3.2	Māori Engagement Framework, Awakino Gorge to Mt Messenger Programme (2016)	123
7.4	Project engagement strategy	124
7.4.1	Engagement Objectives	124
7.4.2	Engagement Principles	125
7.5	Public engagement for the Project	125
7.5.1	Phase One: Awakino Gorge to Mt Messenger Corridor Investigation	127
7.5.2	Phase Two: Targeted Early Engagement	129
7.5.3	Phase Three: Awakino Gorge to Mt Messenger Corridor options	129
7.5.4	Phase Four: Update on route options	132
7.5.5	Phase Five – Preferred Alignment and Consenting	136
7.6	Engagement with key stakeholders	136
7.7	Engagement with Ngāti Tama	143
7.8	Consultation outcomes	144
7.9	Ongoing communication	150
8	Existing Environment	151
8.1	Introduction	151
8.2	Location	151
8.3	Natural environment	151
8.3.1	Topography and catchments	151
8.3.2	Climate	152

8.3.3	Geology	153
8.3.4	Ecology	154
8.3.5	Landscape and natural character	158
8.3.6	Ground contamination	159
8.4	Human environment	159
8.4.1	Cultural values	159
8.4.2	Historic heritage	162
8.4.3	Community	164
8.4.4	Recreation	166
9	Assessment of Environmental Effects	168
9.1	Summary of environmental effects	168
9.1.1	Overview	168
9.1.2	Structure of the assessment	169
9.2	Summary of effects on the environment	171
9.3	Transport and traffic effects	175
9.3.1	Introduction	175
9.3.2	Existing transport environment of SH3 at Mt Messenger	175
9.3.3	Operational transport and traffic effects	176
9.4	Economic effects	182
9.4.1	Introduction	182
9.4.2	Direct economic effects during construction	182
9.4.3	Road user economic effects of the Project	183
9.4.4	Wider economic effects of the Project	183
9.4.5	Potential economic costs of the Project	184
9.5	Social effects	184
9.5.1	Introduction	184
9.5.2	Regional social effects	185
9.5.3	Local social effects	185
9.6	Recreation effects	186
9.6.1	Introduction	186
9.6.2	Recreation effects of the Project	186
9.7	Effects on cultural values	186
9.7.1	Introduction	186
9.7.2	Consideration of cultural effects of the Project	186

9.7.3	Mitigation of cultural effects	187
9.8	Ecological effects	190
9.8.1	Introduction	190
9.8.2	Effects on vegetation	192
9.8.3	Effects on terrestrial invertebrates.	193
9.8.4	Effects on herpetofauna	194
9.8.5	Effects on avifauna	196
9.8.6	Effects on bats	198
9.8.7	Effects on freshwater ecology	199
9.8.8	Effects on marine ecology	203
9.8.9	Ecological mitigation and biodiversity offset package	203
9.8.10	Ecology outcomes resulting from the Project	207
9.9	Landscape, natural character and visual effects	208
9.9.1	Introduction	208
9.9.2	Landscape and environmental design approach	208
9.9.3	Assessment of landscape, natural character and visual effects	209
9.9.4	Assessment of visual effects	216
9.9.5	Overall conclusion on landscape, natural character and visual effects	217
9.10	Effects on historic heritage values	218
9.10.1	Introduction	218
9.10.2	Project effects on historic heritage	218
9.11	Operational stormwater management effects	219
9.11.1	Stormwater quantity effects	219
9.11.2	Stormwater quality effects	219
9.12	Effects of structures on streams and watercourses	220
9.12.1	Stream diversions	220
9.12.2	Culverts	220
9.12.3	Effects of structures on streams and watercourses	221
9.13	Operational air quality effects	221
9.14	Operational noise effects	222
9.15	Temporary construction effects	223
9.15.1	Temporary traffic effects during construction	223
9.15.2	Construction effects on air quality	224
9.15.3	Construction noise and vibration effects	227

9.15.4	Management of contaminated land	229
9.15.5	Effects of land disturbance activities and construction related water discharges	230
9.15.6	Effects of construction on groundwater	234
10	Management of Effects on the Environment	235
10.1	Introduction	235
10.2	Designation and Resource Consent Conditions	236
10.3	Management Plans	237
10.3.1	Construction Environmental Management Plan	237
10.3.2	Ecology and Landscape Management Plan	238
10.3.3	Construction Water Management Plan	241
10.3.4	Contaminated Land Management Plan	243
10.3.5	Dust Management Plan	243
10.3.6	Construction Noise Management Plan	243
10.3.7	Construction Traffic Management Plan	244
10.3.8	Accidental Discovery Protocol	245
10.3.9	Stakeholder Engagement	245
10.3.10	Landscape and Environment Design Framework	246
10.4	Measures to avoid, remedy, mitigate or offset effects	247
11	Statutory context and assessment	253
11.1	The Transport Agency	253
11.1.1	The Transport Agency – Operating Principles and Functions	253
11.1.2	Power to construct and operate road	253
11.1.3	Requiring Authority Status	254
11.2	Introduction to the statutory RMA framework	255
11.3	Key provisions of the Resource Management Act 1991	255
11.3.1	Part 2 Purpose and Principles	255
11.3.2	Part 6 Resource Consents	261
11.3.3	Part 8 Designations	264
11.3.4	National Environmental Standards	268
11.3.5	Other regulations	268
11.3.6	National Policy Statements	268
11.3.7	New Zealand Coastal Policy Statement 2010	269
11.4	Regional Policy Statement for Taranaki 2010	269



11.4.1	Recognising the role of resource use and development in Taranaki	270
11.4.2	Supporting regionally significant infrastructure	272
11.4.3	Avoiding and mitigating the effects of natural hazards	273
11.4.4	Treaty of Waitangi, tangata whenua and cultural heritage	274
11.4.5	Indigenous biodiversity	275
11.4.6	Natural character of water bodies	279
11.4.7	Natural features and landscapes	281
11.4.8	Land disturbance and soil conservation	283
11.4.9	Historic heritage	283
11.4.10	Public health and amenity values	284
11.5	Regional plans assessment	285
11.5.1	Regional Fresh Water Plan for Taranaki 2001	286
11.5.2	Regional Soil Plan for Taranaki 2001	291
11.5.3	Regional Air Quality Plan for Taranaki 2011	291
11.6	New Plymouth Operative District Plan 2005	292
11.6.1	Efficient operation of the road transportation network	292
11.6.2	Natural hazards	293
11.6.3	Tangata whenua values	294
11.6.4	Indigenous vegetation	294
11.6.5	Natural character	295
11.6.6	Public access to waterbodies	295
11.6.7	Rural character	296
11.6.8	Amenity values, including noise and lighting	297
11.6.9	Public health and safety	298
11.6.10	Heritage	298
11.7	Other matters	299
11.7.1	Ngāti Tama Claims Settlement Act 2003	299
11.7.2	Strategic documents	299
11.7.3	Public notification	302
Appendix A: Objectives and policies assessment		
Appendix B: Schedule of properties		
Appendix C: Planning maps		
Appendix D: Draft designation and resource consent conditions		

# List of figures

Figure 1.1 – Project alignment	6
Figure 3.1 – Regional Land Transport Network	22
Figure 3.2 – ONRC Regional Road Classification	23
Figure 3.3 – 2016 Daily Travel Demands	24
Figure 3.4 – 40 year pattern of Traffic Growth 1975 – 2015 SH3 at Tongaporutu	25
Figure 3.5 – Mt Messenger section of SH3	27
Figure 3.6 – Mt Messenger SafetyNet Rating	29
Figure 3.7 – Ngāti Tama land associated with the Project area	39
Figure 3.8 – Natural environment features	40
Figure 4.1 – Typical cross section of the carriageway at a cutting	47
Figure 4.2 – Elevation model looking from the south to the north along the alignment	50
Figure 4.3 – Typical Barrier details (rigid and wire rope)	53
Figure 4.4 – Typical Cut Slope Profile	54
Figure 4.5 – Typical revegetated cut slope	55
Figure 4.6 – Typical embankment profile	57
Figure 4.7 – Typical revegetated embankment	57
Figure 4.8 – Similar Bridge Arrangement (Matahorua Gorge)	59
Figure 4.9 – Typical tunnel cross-section	62
Figure 4.10 – Indicative view of tunnel approach showing the main tunnel portal and safety barriers	62
Figure 4.11 – Indicative view of the tunnel portal and rock fall protection	63
Figure 4.12 – Water tanks at the existing SH3 rest area	64
Figure 4.13 – Tunnel control building	65
Figure 4.14 – Typical swale design	67
Figure 4.15 – Typical constructed wetland design and planting	69
Figure 4.16 – Stream diversion typologies	71
Figure 5.1 – Indicative Construction Programme and Sequencing	81
Figure 5.2 – Main construction yard – indicative layout (refer to Volume 2 for full size drawing)	84
Figure 5.3 – Location of SAPs along the alignment (refer to drawing MMA-DES-TRS-C0-DRG-1001, Volume 2 for full size drawing)	85
Figure 5.4 – Proposed construction of the access track	93
Figure 5.5 – Proposed construction of an access track over an existing waterway	93
Figure 5.6 – Indicative haul road configuration for large cut slopes	96
Figure 5.7 – Wick Drain Installation Method	98
Figure 5.8 – Indicative wick drain layout	98
Figure 5.9 – Tunnel construction using a Roadheader	103
Figure 5.10 – Typical tunnel construction using a Roadheader	105
Figure 6.1 – Map of longlist options considered at 2017 MCA1	114
Figure 6.2 – Longlist MCA ranking of the 24 options	116
Figure 6.3 – Cost estimates for the longlisted options (red bars – fatal flaw scores)	116
Figure 6.4 – Location of shortlisted options	118
Figure 7.1 – IAP2 Public Participation Spectrum	123

Figure 7.2 – Project Consultation Phases	126
Figure 7.3 – Mt Messenger Bypass Route Options – Consultation Phase Three	130
Figure 7.4 – Mt Messenger Bypass Route Options – Consultation Phase Four	133
Figure 8.1 – Location plan	151
Figure 8.2 – Topography of area (Project alignment shown in white)	152
Figure 8.3 – Geology of the wider Project area (Copyright GNS 2005)	153
Figure 8.4 – Project footprint and wider Project area (the Project alignment shown as white line)	155
Figure 8.5 – Archaeological sites within the wider vicinity of Mt Messenger and the existing SH3 (source: ArchSite)	163
Figure 8.6 – Recreational Walking Tracks (DOC website)	167
Figure 9.1 – Landscape perspective of alignment viewed from above the eastern ridge of the Mimi Valley	209
Figure 9.2 – Topography of alignment viewed looking south up the Mangapepeke Valley	210
Figure 9.3 – Landscape model of alignment viewed from above the eastern ridge of the Mimi Valley	214
Figure 9.4 – Bridge over Mimi swamp forest	215
Figure 10.1 – CEMP and Management Plan framework	237

# List of tables

Table 2.1 – Summary of land directly affected by the proposed designation	8
Table 2.2 – Resource consent requirements	10
Table 2.3 – Permitted Activities	15
Table 2.4 – Other approvals required	18
Table 3.1 – Travel time on alternative routes	30
Table 3.2 – Safety Benefits	33
Table 3.3 – Enhanced resilience and journey time reliability benefits	35
Table 3.4 – Economic benefits	36
Table 3.5 – Environmental, cultural and social benefits	37
Table 4.1 – Project Design Standards	48
Table 4.2 – Operating Speeds (Average of all time periods and vehicles)	49
Table 4.3 – Traffic Services	52
Table 4.4 – Main Cut Slopes along the Alignment	55
Table 4.5 – Embankment Typologies	56
Table 4.6 – Main Embankments along the Alignment	58
Table 4.7 – Bridge Design Aspects	60
Table 4.8 – Constructed Wetlands	68
Table 4.9 – Stream Diversions Summary	70
Table 4.10 – Summary of Permanent Culverts	72
Table 5.1 – Construction Regions and Zones	78
Table 5.2 – Site Access Points	85
Table 5.3 – Construction Materials	88
Table 5.4 – Indicative daily volume and instantaneous flow rates	90
Table 5.5 – Bridge Construction Works	101
Table 5.6 – Tunnel Construction Sequence	104
Table 6.1 – MCA 2 raw scores	119
Table 6.2 – Relative option ranking from MCA2 process	120
Table 6.3 – Cost estimates for MCA2 options	121
Table 7.1 – April 2015 Iwi and DOC Engagement	128
Table 7.2 – Phase Three Engagement Activities	130
Table 7.3 – Phase Four Engagement Activities	134
Table 7.4 – Project stakeholders – their interests, issues and engagement approaches	137
Table 7.5 – Engagement Feedback and Project Response	145
Table 8.1 – Properties within the Project footprint	165
Table 9.1 – Structure of this section	170
Table 9.2 – Summary of Project effects	171
Table 9.3 – Summary of Project effects	177
Table 9.4 – Operational resilience benefits	179
Table 9.5 – Journey time reliability	180
Table 9.6 – Operating Speeds (averaged for all vehicles)	181
Table 9.7 – Actual and potential effects on freshwater ecology	201
Table 9.8 – Predicted Traffic Noise Levels	222
Table 9.9 – Construction noise levels and compliance distance	228

Table 9.10 – Vibration generating activities and required separation distances to meet risk criteria	229
Table 9.11 – Comparative Sediment Yield	233
Table 10.1 – Designation and consent condition topics	236
Table 10.2 – Protocols to be included in ELMP	239
Table 10.3 – Summary of measures to avoid, remedy, mitigate or offset adverse effects	248
Table 11.1 – Regional plan provisions	287
Table 11.2 – Key strategic direction	299