



Performance Information NZ Transport Agency PO Box 1664 ANZ Building Cnr Rathbone and Robert Sts WHANGAREI

Ph. (09)459 6315 Fax. (09)459 6318

Web: www.nzta.govt.nz

Contents

	Page
Introduction and general information	1
Crash rates and costs (Figures 1.1 to 1.11)	5
Crash counts (Figures 2.1 to 2.14)	17
Road user statistics (Figures 3.1 to 3.28)	25
Crash type statistics (Figures 4.1 to 4.6)	41
Crash factor statistics (Figures 5.1 to 5.14)	47
Environmental statistics (Figures 6.1 to 6.14)	57
Date and time statistics (Figures 7.1 to 7.3)	67
Council road statistics (Figures 8.1 to 8.26)	71
Crash location statistics (Figures 9.1 to 9.5)	89

Appendices

Grouping of crash types

Groupings of contributing factors

List of figures

Crash rates and co	osts page 5
Fig. 1.1	Reporting rate serious injuries to hospital admissions
Fig. 1.2	Crashes per 100 million vehicle kilometres travelled
Fig. 1.3	Casualties per 100 million vehicle kilometres travelled
Fig. 1.4	Peer group crash and casualty rates Group D
Fig. 1.5–1.8	Crashes per 100 million vehicle kilometres travelled on:
	Urban council roads Group D
	Rural council roads Group D
	Urban state highways Group D
	Rural state highways Group D
Fig. 1.9	Crashes per 10,000 people (1999 to 2008)
Fig. 1.10	Casualties per 10,000 people (1999 to 2008)
Fig. 1.11	Social cost of crashes in Far North District in 2008
Crash counts	page 17
Fig. 2.1	Crash numbers and severity (2004 to 2008) – whole district
Fig. 2.2, 2.3	Crash numbers and severity (2004 to 2008) – urban/rural
Fig. 2.4	Casualty numbers and severity (2004 to 2008) – whole district
Fig. 2.5, 2.6	Casualty numbers and severity (2004 to 2008) – urban/rural
Fig. 2.7	Number of injury crashes (1999 to 2008) – all roads
Fig. 2.8	Number of casualties (1999 to 2008) – all roads
Fig. 2.9	Number of injury crashes (1999 to 2008) – urban
Fig. 2.10	Number of casualties (1999 to 2008) – urban
Fig. 2.11	Number of injury crashes (1999 to 2008) – rural
Fig. 2.12	Number of casualties (1999 to 2008) – rural
Fig. 2.13, 2.14	Severity ratio (1999 to 2008) – urban/rural
Road user statistic	. 3
Fig. 3.1, 3.2	Road user casualties (2004 to 2008) – urban/rural
Fig. 3.3, 3.4	Male/female casualties (1999 to 2008)
Fig. 3.5	Male casualties by age (2004 to 2008)
Fig. 3.6	Female casualties by age (2004 to 2008)
Fig. 3.7, 3.8	Car/van driver casualties (1999 to 2008)
Fig. 3.9, 3.10	Car/van passenger casualties (1999 to 2008)
Fig. 3.11, 3.12	Heavy vehicle casualties (1999 to 2008)
Fig. 3.13, 3.14	Motorcyclist casualties (1999 to 2008)
Fig. 3.15, 3.16	Pedestrian casualties (1999 to 2008)
Fig. 3.17, 3.18	Cyclist casualties (1999 to 2008)

List of figures continued

Road user statistic	cs	page 25
Fig. 3.19	Car/van driver casualty age (2004 to 2	2008)
Fig. 3.20	Car/van passenger casualty age (2004	to 2008)
Fig. 3.21	Heavy vehicle casualty age (2004 to 2	(800
Fig. 3.22	Motorcyclist casualty age (2004 to 200	08)
Fig. 3.23	Pedestrian casualty age (2004 to 2008	3)
Fig. 3.24	Cyclist casualty age (2004 to 2008)	
Fig. 3.25, 3.26	Casualty ethnicity (2004 to 2008)	
Fig. 3.27, 3.28	Licence status (1999 to 2008)	
Crash type statisti	ics	page 41
Fig. 4.1, 4.2	Crash movement type (2004 to 2008)	p-g-
Fig. 4.3, 4.4	Crash movement type – trends (1999	to 2008)
Fig. 4.5	Failed to give way/stop – urban (1999	
Fig. 4.6	Bend – lost control/head on – rural (19	·
3		,
Crash factor statis	etics	page 47
Fig. 5.1, 5.2	Contributing factors (2004 to 2008)	
Fig. 5.3–5.6	Contributing factor trends – urban (19	99 to 2008)
Fig. 5.7	Alcohol-involved trend – urban (1999	to 2008)
Fig. 5.8	Speed-involved trend – urban (1999 to	2008)
Fig. 5.9–5.12	Contributing factor trends – rural (199	9 to 2008)
Fig. 5.13	Alcohol-involved trend – rural (1999 to	2008)
Fig. 5.14	Speed-involved trend – rural (1999 to	2008)
Environmental sta	tistics	page 57
Fig. 6.1, 6.2	Crashes not on state highways (1999	
Fig. 6.3, 6.4	Intersection crashes (1999 to 2008)	,
Fig. 6.5, 6.6	Wet road crashes (1999 to 2008)	
Fig. 6.7, 6.8	Crashes in darkness (1999 to 2008)	
Fig. 6.9	Unsealed road crashes – rural (1999 to	o 2008)
Fig. 6.10	lcy road crashes – rural (1999 to 2008	•
Fig. 6.11, 6.12	Collisions with objects (1999 to 2008)	,
Fig. 6.13, 6.14	Objects struck (2004 to 2008)	
Date and time stat	tistics	page 67
Fig. 7.1	Time pattern over average week (2004	4 to 2008)
Fig. 7.2	Day of week (2004 to 2008)	
Fig. 7.3	Month of year (2004 to 2008)	

List of figures continued

Council road statis	stics page 71
Fig. 8.1	Number of injury crashes (1999 to 2008) – all council roads
Fig. 8.2	Number of casualties (1999 to 2008) – all council roads
Fig. 8.3	Number of injury crashes (1999 to 2008) – urban council roads
Fig. 8.4	Number of casualties (1999 to 2008) – urban council roads
Fig. 8.5	Number of injury crashes (1999 to 2008) – rural council roads
Fig. 8.6	Number of casualties (1999 to 2008) – rural council roads
Fig. 8.7, 8.8	Crash movement type - council roads (2004 to 2008)
Fig. 8.9, 8.10	Crash movement type – trends – council roads (1999 to 2008)
Fig. 8.11	Failed to give way/stop – urban council roads (1999 to 2008)
Fig. 8.12	Bend – lost control/head on – rural council roads (1999 to 2008)
Fig. 8.13, 8.14	Contributing factors – council roads (2004 to 2008)
Fig. 8.15, 8.16	Intersection crashes – council roads (1999 to 2008)
Fig. 8.17, 8.18	Wet road crashes - council roads (1999 to 2008)
Fig. 8.19, 8.20	Crashes in darkness – council roads (1999 to 2008)
Fig. 8.21	Unsealed road crashes – rural council roads (1999 to 2008)
Fig. 8.22	Icy road crashes – rural council roads (1999 to 2008)
Fig. 8.23, 8.24	Collisions with objects - council roads (1999 to 2008)
Fig. 8.25, 8.26	Objects struck - council roads (2004 to 2008)

Crash locat	ion statistics	page 89
Fig. 9.1	Urban crash blackspot list for the District (200	04 to 2008)
Fig. 9.2	Rural crash blackspot list for the District (200	4 to 2008)
Fig. 9.3	State Highway crash blackspot list for the Dis	trict (2004 to 2008)
Fig. 9.4	Urban crash blackspots with a significant incre	ease in crashes in 2008
Fig. 9.4a	Rural crash blackspots with a significant incre	ase in crashes in 2008
Fig. 9.5	State highway crash blackspots with a signific	cant increase in crashes in 2008



Introduction and general information

The New Zealand Transport Agency provides information on road safety to its stakeholders and the public. It also has responsibility for promoting safety and sustainability in land transport, among a variety of other functions. This road safety report is an example of information supplied by the New Zealand Transport Agency.

This report helps identify road safety issues in Far North District area ('the district') by presenting tables or graphs of:

- numbers and trends in reported crashes and casualties
- characteristics and types of crashes and casualties
- · factors contributing to crashes
- · locations with bad crash records
- characteristics of crashes on council authority roads

The information is intended to assist road controlling authorities, the New Zealand Police and others in evaluating the safety performance of the road network in Far North District. Comparison with other cities, districts or regions elsewhere in the country is included.

Researchers, students, and organisations with an interest in road safety will also find the information useful.

Source of crash information

This report uses data from the New Zealand Transport Agency's crash database. This database includes all crashes involving injury and non-injury for which Police reports have been completed and forwarded to the New Zealand Transport Agency. Mostly five-year data (2004 to 2008) has been used, but 10-year data (1999 to 2008) has been used to analyse trends.

Council authority peer groups

Traffic crash patterns and features for an area can depend on the traffic and roading characteristics of that area. The most useful comparisons are made with other areas or authorities with similar characteristics, rather than with the whole country. The data for the city is compared with a peer group of similar council authorities (Group D) along with data for all New Zealand.

The peer group used for comparison with Far North District is Group D which consists of provincial towns and hinterland. (Population 20000 - 75000 and/or rural crashes greater than 55 percent). Council authorities included in this group are listed in Figure 1.4.



Definitions of urban and rural

Data has been separated for urban and rural (open) roads through this report because each has a distinctly different pattern of crashes. In this report urban roads are defined as all those with a speed limit of 70 km/h or less, however it should be noted that some locations which have been speed limit zoned might be more appropriately defined as rural but are included in urban zones.

Definition of statistically significant

A number of graphs include a comparison between the road controlling authority, all New Zealand and a similar peer group. These graphs can include an indication as to whether the difference is statistically significant. For the purposes of this report statistically significant means that a difference of this size is unlikely to be due to chance. Significance is noted at the 5% level (P < 0.05), this means that the observed result would occur by chance in only 1 in 20 similar situations.

Road user compliance data

The Ministry of Transport collects information on road user compliance with traffic law. This information includes speed surveys, occupant restraint use surveys and cycle helmet use surveys. Information about these surveys is available on Ministry of Transport web site.

The appropriate web addresses are as follows:

Speed Surveys http://www.transport.govt.nz/research/SpeedSurveys/

Safety belts http://www.transport.govt.nz/research/safetybeltstatistics/

Cycle helmets http://www.transport.govt.nz/research/cyclehelmets2009/

The information is also distributed quarterly in the Ministry of Transport publication Road safety progress.

The Ministry of Transport also conducts public attitude surveys. These have been undertaken annually since 1994. They evaluate attitudes to road safety issues, primarily alcohol-impaired driving and speed. Surveys are carried out in May and June of each year by trained interviewers who conduct interviews with respondents in their homes. The sample is chosen to be representative of the New Zealand adult population, and includes men and women aged 15 and over from towns, cities and rural areas throughout New Zealand.



The results of these surveys are available from:

http://www.transport.govt.nz/research/PublicAttitudestoRoadSafety-Survey/

General explanatory notes

- 1. Crash and casualty information in this report generally includes data for both council roads and state highways. Some tables and charts can separate this information, however figures 8.1–8.26 provide information for council roads only.
- 2. Crash and casualty rates are based on 2008 populations estimates updated from the 2006 census, traffic flows from the year 2008, and the average of five year crash data (2004–2008).
- 3. Traffic flows are based on Road Asset Maintenance and Management (RAMM) data from December 2008. As different road controlling authorities update flow data in RAMM at different times some data will be more up to date than other data, hence caution should be exercised when comparing traffic flow based crash rates in one authority with those of other authorities particularly as the traffic flow data (VKT) used in the calculations can not be considered definitive. Comparisons should be considered as indicative only.
- 4. With four to five categories of road for each council authority, some categories will only have short lengths of road. This may cause significant variation in the calculated crash and casualty rates.
- 5. The crash numbers include all those within the road controlling authority. The crash numbers used in the crash rate section can, however, vary slightly from the remainder of the document as only 'on road' crashes can be used. These are crashes on roads that have traffic volume information recorded. Crashes that occurred in car parks, reserves, beaches etc. are excluded.



6. The severity of a crash is determined as the most severely injured casualty in the crash. Injury severity is classified as fatal, serious, or minor as follows:

Fatal: Injuries that result in death within 30 days of a crash.

Serious: Fractures, concussion, internal injuries, crushing, severe cuts and

lacerations, severe general shock necessitating medical treatment, and

any injury involving removal to and detention in hospital.

Minor: Injuries which are not serious but which require first aid, or cause

discomfort or pain to the person injured, eg sprains and bruises.

7. Ethnicity of road users involved in crashes can now be recorded on traffic crash reports, although some reports may not include this data. Figures 3.25 and 3.26 shows the ethnicity of casualties, where known. Ethnicity is divided into five different groups. Only data for 2004 to 2008 is available. The graph includes all casualties irrespective of culpability.

NOTE: Ethnicity data should be treated with caution as the data can be considered subjective and incomplete.

- 8. For the licence status grouping in Figures 3.27 and 3.28 the 'no/wrong licence' group includes drivers who have never held a licence or have an expired or wrong class licence. This graph includes all drivers irrespective of injury or culpability.
- 9. See appendix for detailed descriptions of:
 - crash movement types and crash movement groupings (for Figures 4.1–4.4)
 - grouping of factors contributing to crashes (for Figures 5.1–5.14)
- 10. Blackspot sites listed in Figures 9.1 and 9.3 are listed by the total cost of crashes at the site and are listed regardless of any remedial treatments. Site were initially selected on the basis of 3 reported crashes and then the sites listed were limited to those with a higher number of injury crashes and over a defined social cost, which is indicated on each figure.
- 11. Alarm crash sites in section 9 as Figures 9.4 to 9.6 are crash sites that have shown a statistically significant increase (at the 95 percent level of confidence) in reported crashes in 2008 compared with the previous five years (2003 to 2007). The sites are initially selected on the basis of 3 or more reported crashes at the sites. Sites are listed regardless of any recent remedial treatments and they may already be under investigation for treatment.





Crash Rates and Costs





Crash reporting rates

The ratio of 'reported serious injuries' can be assessed by comparing seriously injured casualty numbers from Police crash reports to hospital admissions, given that a serious injury is generally one requiring hospital attention.

Figure 1.1 below indicates the serious injury reporting rate for each region.

Figure 1.1 Reporting rate serious injuries to hospital admissions

Region	2004	2005	2006	2007	2008
Northland	34%	30%	28%	34%	31%
Auckland	22%	17%	19%	16%	16%
Waikato	51%	40%	38%	49%	46%
Bay of Plenty	28%	32%	37%	38%	27%
Gisborne	28%	31%	26%	29%	26%
Hawkes Bay	73%	80%	75%	59%	60%
Taranaki	66%	55%	65%	77%	41%
Manawatu-Wanganui	50%	38%	34%	35%	34%
Wellington	61%	68%	61%	73%	64%
Nelson-Marlborough	63%	44%	52%	54%	49%
West Coast	43%	53%	55%	59%	53%
Canterbury	37%	47%	42%	50%	45%
Otago	107%	99%	85%	77%	53%
Southland	74%	78%	103%	73%	53%
New Zealand	39%	36%	35%	37%	34%

This is the ratio of the number of persons with serious injuries in reported crashes divided by the number of persons admitted to hospital with serious injuries.

These variations in reporting rates need to be considered when viewing the trends in crashes and casualties shown in this report.

Note: These values should be considered indicative only.



Figure 1.2 Crashes per 100 million vehicle kilometres travelled

	Council roads		State Hi	ghways	
	Urban	Rural	Urban	Rural	
Far North District	36	37	35	27	
Group D	31	25	27	16	
All NZ	35	27	30	16	

Figure 1.3 Casualties per 100 million vehicle kilometres travelled

	Counci	l roads	State Hi	ghways
	Urban	Rural	Urban	Rural
Far North District	52	57	51	43
Group D	40	37	38	25
All NZ	45	39	42	25



Figure 1.4 Peer group crash and casualty rates

Group D

	Crashes per				Casualties per							
	100 million vehicle				100 million vehicle						he	
	latic age)	kilometres travelled it is a kilometres travelled kilometres travelled		tior	cras							
	opu		uncil ads	Sta		opu	Cou	ıncil		ate	ula	ral (
	0 Po		lus	High	vays	0 Po		lus		ways	Рор	ın
	10,000 Population (5 year average)	Urban	Rural	Urban	Rural	0,000 Population (5 year average)	Urban	Rural	Urban	Rural	2008 Population	% of rural crashes
City or District name		Url	Ru	Url	Ru		Url	Ru	Url	Ru	20	6\
Ashburton	20	32	13	18	7	28	41	19	26	11	28700	55
Far North	37	36	37	35	27	56	52	57	51	43	57900	81
Franklin	30	36	28	0	9	43	45	40	0	14	63200	76
Horowhenua	28	25	18	28	18	41	29	31	41	28	30600	64
Manawatu	32	23	26	21	13	49	28	40	29	21	29300	81
Marlborough	27	39	21	33	19	38	51	36	41	27	44500	59
Masterton	28	42	23	41	26	37	54	33	53	32	23100	39
Matamata-Piako	33	43	22	29	15	47	54	31	39	24	31400	77
Rodney	28	23	27	21	15	40	31	39	31	22	96400	69
Selwyn	23	13	17	29	11	34	15	23	38	18	37500	90
South Taranaki	29	40	30	13	21	42	51	49	20	31	26700	74
South Waikato	31	25	21	20	17	50	31	31	32	28	22800	78
Southland	56	53	29	48	26	88	68	46	76	42	29100	88
Tasman	26	26	19	26	20	36	31	28	34	29	46500	75
Taupo	39	39	24	23	15	59	48	34	34	26	33500	68
Thames Coromandel	62	21	17	19	8	81	26	27	27	13	26800	15
Waikato	43	41	29	18	15	61	52	39	29	22	46800	81
Waimakariri	18	24	21	23	8	25	31	30	33	11	46100	69
Waipa	27	32	26	26	14	40	43	36	39	22	44700	67
Waitaki	46	42	29	50	19	66	52	40	62	31	20700	60
Western Bay of Plenty	26	27	23	20	15	38	33	33	30	24	44400	83
Whakatane	26	26	25	59	17	41	37	42	73	28	34400	71
	1	Т	ı	1		1	ı	1		1	1	
Group D	31	28	25	25	16	46	36	36	36	25	865100	70
All New Zealand	26	35	27	30	16	36	44	39	41	24	4267970	41


Group D : Provincial towns and hinterland. (Population 20000-75000 and/or rural crashes greater than 55 percent).

Crashes and casualties per 100 million VKT are based on five years of reported injury on-road crash data (2004-2008) and December (2007) VKT.


Crashes and casualties per 10,000 population are based on five year average crash data (2004-2008) and Statistics NZ 2008 population estimates.

New Zealand Government































Figure 1.11 Social cost of crashes in Far North District in 2008

		Far North District	New Zealand
Council roads	urban	\$7.64	\$1,636.63
Council roads	rural	\$26.96	\$962.97
State Highways	urban	\$8.43	\$303.03
State rigilways	rural	\$53.04	\$1,390.98
Total		\$96.07	\$4,293.62

Note: Crash costs are in \$ millions

The social costs of a road crash and the associated injuries include a number of different elements:

- · Loss of life and life quality
- Loss of output due to temporary incapacitation
- Medical costs
- · Legal costs
- · Property damage costs

The average value of a loss of life due to a road crash is estimated by the amount of money the New Zealand population would be willing to pay for a safety improvement that would result in the expected avoidance of one premature death. This is the willingness to pay based value of statistical life or VOSL. The VOSL was established at \$2 million in 1991. This has been indexed to the average hourly earnings (ordinary time) to express the value in current dollars. The updated VOSL is \$3.35 million (in June 2008 dollars). Based on several international and New Zealand studies on VOSL, the average loss of life quality for permanent impairments due to a serious and a minor injury were estimated to be 10% and 0.4% of the VOSL respectively.

Crash rates can vary due to reporting rates. These are adjusted on a regional basis in this report by comparing with hospitalisation rates.

The other social cost components are estimated based on a number of studies conducted during the early to mid-1990s and are updated for price changes by indexing to an appropriate price index.

For a detail discussion on this, please refer to 'The social cost of road crashes and injuries: June 2008 update', available at the Ministry of Transport's website:

http://www.transport.govt.nz/assets/NewPDFs/NewFolder/Social-Cost-June-2008-update-final.pdf

The average social cost per reported crash (in June 2008 dollars) are estimated at:

Rural fatal crash
Rural serious crash
Rural minor crash
Urban fatal crash
Urban serious crash
Urban minor crash
Urban minor crash
Urban minor crash
Urban minor crash

These values include an allowance for non-reported injury crashes, and the totals in Fig. 1.11 also include an allowance for non-injury crashes.





Crash Counts





Figure 2.1: Crash numbers and severity 2004 to 2008 - whole District

	2004	2005	2006	2007	2008	Total	%	Group D
Fatal crashes	12	11	13	13	8	57	5%	6%
Serious crashes	45	46	44	61	40	236	22%	23%
Minor crashes	170	125	172	176	134	777	73%	72%
Total injury crashes	227	182	229	250	182	1070	100%	100%
Non-injury crashes	336	341	331	360	368	1736		

Figure 2.2: Crash numbers and severity 2004 to 2008 - urban roads

	2004	2005	2006	2007	2008	Total	%	Group D
Fatal crashes	2	2	1	3	1	9	4%	3%
Serious crashes	12	10	4	9	8	43	21%	19%
Minor crashes	29	29	44	29	23	154	75%	78%
Total injury crashes	43	41	49	41	32	206	100%	100%
Non-injury crashes	125	144	132	141	131	673		

Figure 2.3: Crash numbers and severity 2004 to 2008 - rural roads

	2004	2005	2006	2007	2008	Total	%	Group D
Fatal crashes	10	9	12	10	7	48	6%	7%
Serious crashes	33	36	40	52	32	193	22%	24%
Minor crashes	141	96	128	147	111	623	72%	69%
Total injury crashes	184	141	180	209	150	864	100%	100%
Non-injury crashes	211	197	199	219	237	1063		

Figure 2.4: Casualty numbers and severity 2004 to 2008 - whole District

	2004	2005	2006	2007	2008	Total	%	Group D
Fatal casualties	19	12	13	15	10	69	4%	4%
Serious casualties	60	61	59	86	51	317	19%	20%
Minor casualties	262	214	264	311	214	1265	77%	75%
Total casualties	341	287	336	412	275	1651	100%	100%

Figure 2.5: Casualty numbers and severity 2004 to 2008 - urban roads


	2004	2005	2006	2007	2008	Total	%	Group D
Fatal casualties	4	2	1	3	1	11	4%	2%
Serious casualties	12	12	4	11	11	50	17%	17%
Minor casualties	46	46	63	47	40	242	80%	81%
Total casualties	62	60	68	61	52	303	100%	100%


Figure 2.6: Casualty numbers and severity 2004 to 2008 - rural roads

	2004	2005	2006	2007	2008	Total	%	Group D
Fatal casualties	15	10	12	12	9	58	4%	5%
Serious casualties	48	49	55	75	40	267	20%	21%
Minor casualties	216	168	201	264	174	1023	76%	74%
Total casualties	279	227	268	351	223	1348	100%	100%

New Zealand Government










22
















24







25







Road User Statistics





















































































































Crash Type Statistics































Crash Factor Statistics































































Environmental Statistics































































Date and Time Statistics



Far North District Road Safety Report 2004-2008











Local Road Statistics













































































































Crash Location Statistics





Table 9.1: Council Roads Black Spot List Urban (Injury and Non-Injury Crashes)

Site Radius = 30 metres

CRASH ROAD		SIDE ROAD	2004	2005	2006	2007	2008	TOTAL	Non- Injury	Wet Crash %	Dark Crash %	Crash Costs
NORTH ROAD	30	N WATTS ST	1			1	1	3			33	\$3,825,280
KERIKERI ROAD	130	S LANDING ROAD	2	4	1	1		8	5	38	13	\$2,577,079
COMMERCE ST	1	PUKEPOTO ROAD	2			1		3	1	33	67	\$1,718,228
HOBSON AVENUE	1	KERIKERI ROAD	1	1	4	1	1	8	5	13	25	\$1,116,677



Table 9.2: Council Roads Black Spot List Rural (Injury and Non-Injury Crashes)

Site Radius = 250 metres

										Non-	Wet Crash	Dark Crash	
CRASH ROAD			SIDE ROAD	2004	2005	2006	2007	2008	TOTAL	Injury	%	%	Crash Costs
KAITAIA-AWAROA ROAD	I		OKAHU ROAD	1	1	2		1	5	1	20	40	\$5,078,440
KAITAIA-AWAROA ROAD		500 E	BRASS ROAD	1	2		1	2	6	3	50	67	\$3,972,102
AHIPARA ROAD		790 E	SANDHILLS ROAD				1	2	3		67	100	\$3,857,280
KERIKERI ROAD		100 N	ACCESS ROAD	3	1	3	2	1	10	4	60	20	\$2,570,899
MANGAKAHIA ROAD		2000 N	PICADILLY ROAD		1	2			3				\$2,209,900
MANGAMUKA ROAD		2500 S	MANGATAIPA ROAD		1		1	1	3		67	67	\$2,209,900
WAIPAPA ROAD		1000 E	SH 10			1	2	1	4	2	25		\$2,193,401
WAIARE ROAD	1		WEHIRUA ROAD	2				1	3			67	\$2,152,080
ORURU ROAD		790 S	GARTON ROAD		1		1	1	3	1		67	\$2,132,560
WIROA ROAD	ı		WAIMATE NORTH ROAD	1			5	3	9	5	22	33	\$1,513,559
WAIPAPA ROAD		100 E	RAINBOW FALLS ROAD	1	2		3		6	2	33	17	\$1,404,421
KAITAIA-AWAROA ROAD		100 W	BRASS ROAD	1		1	1	1	4	1	25	25	\$1,275,060
KERIKERI INLET ROAD		400 W	DARWIN ROAD			1	1	2	4	1	25	50	\$1,275,060
OTIRIA ROAD	1		KINGI ROAD			2	1	1	4	1	25	75	\$1,275,060
WIROA ROAD		1370 W	WAIMATE NORTH ROAD	1	1	1			3				\$1,183,840
MANGAKAHIA ROAD		180 S	CAREY ROAD	2			1		3				\$1,181,880
KAITAIA-AWAROA ROAD		500 S	OKAHU ROAD	2	2		2	1	7	4	29	71	\$419,757
KAPIRO ROAD		150 E	MCCAUGHAN ROAD	1	1	1			3			100	\$269,500
KERIKERI INLET ROAD		700 E	REINGA ROAD	1		1	1		3		33	33	\$267,540
KOUTU LOOP ROAD W		490 N	SH 12	1		2			3			100	\$267,540



Table 9.3: State Highway Urban and Rural Black Spot List (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

CRASH ROAD			SIDE ROAD	2004	2005	2006	2007	2008	TOTAL	Non- Injury	Wet Crash %	Dark Crash %	Crash Costs
SH 12	1		WAIMATENUI ROAD	0	2	1	2	0	5	0	0	20	\$8,777,860
SH 1N		200 N	HAUTAPU ROAD	9	1	4	3	3	20	12	75	35	\$6,899,978
SH 1N	1		AKERAMA ROAD	3	1	1	2	5	12	4	83	25	\$5,603,019
SH 12		300 N	WHARF ROAD	1	0	2	1	1	5	1	40	60	\$5,436,748
SH 1N		140 N	KAIMAUMAU ROAD	1	1	0	1	0	3	1	0	0	\$5,089,220
SH 10		300 S	CHURCH ROAD	0	1	2	0	2	5	2	60	40	\$5,082,441
SH 10		400 N	OROMAHOE ROAD	0	1	1	0	3	5	0	20	80	\$5,007,800
SH 10	ı		PUKETONA ROAD	3	2	8	6	3	22	11	18	23	\$4,983,082
SH 10		600 N	WAKELIN ROAD	0	0	4	0	1	5	3	40	40	\$4,850,261
SH 10		200 S	BLUE GUM LANE	1	0	1	1	1	4	2	25	0	\$4,179,861
SH 1N		2200 S	TARAKIHI ROAD	1	1	1	0	1	4	2	25	50	\$4,023,061
SH 1N	1		WAIKARAMU ROAD	3	0	0	2	1	6	3	67	33	\$3,969,278
SH 10		100 N	WAIARE ROAD	0	3	1	0	1	5	3	40	60	\$3,883,822
SH 1N		500 N	PAIAKA ROAD	2	0	0	1	3	6	5	33	67	\$3,865,596
SH 12		450 N	WAIMATENUI ROAD	0	0	2	1	0	3	0	0	100	\$3,857,280
SH 1N		1000 E	OLD BAY ROAD	0	0	2	1	0	3	1	33	33	\$3,805,420
SH 1N		2600 S	HOUHORA HEADS ROAD	1	0	1	0	2	4	3	0	0	\$3,790,918
SH 10		2210 S	MCGEES ROAD	0	1	1	0	1	3	2	100	33	\$3,754,461
SH 10		690 N	ZIDICH ROAD	0	1	2	2	1	6	2	0	50	\$3,318,441
SH 11		3000 E	SH 10	0	1	2	1	2	6	2	0	67	\$2,372,661
SH 10		200 N	KAHIKATEAROA LANE	1	0	2	2	0	5	2	20	0	\$2,282,618
SH 1N		500 S	FAIRBURN ROAD	0	1	2	1	2	6	4	33	50	\$2,268,942
SH 1N	ı		MARSHALL ROAD S	0	0	2	0	2	4	1	50	75	\$2,245,260
SH 10		1200 W	WHANGAROA ROAD	0	1	0	1	1	3	0	33	67	\$2,209,900
SH 11	ı		HARURU FALLS ROAD	1	1	0	0	2	4	1	0	75	\$2,199,121
SH 12		400 E	PUNAKITERE LOOP ROAD \	1	1	1	0	1	4	1	75	50	\$2,165,880
SH 10		2000 S	OROMAHOE ROAD	1	0	1	0	1	3	0	0	67	\$2,152,080
SH 11	1		BRISTOW ROAD	4	3	2	0	5	14	11	43	29	\$1,642,337
SH 1N	ı		SH 10	2	1	2	1	3	9	3	22	11	\$1,593,758
SH 11		1600 N	WAIKARE ROAD	2	1	2	3	0	8	2	88	38	\$1,556,401
SH 12		80 W	RAMSEY ROAD	1	4	4	1	1	11	8	45	45	\$1,486,164
SH 11		80 W	BROADVIEW ROAD	1	0	0	5	2	8	4	50	63	\$1,476,201
SH 1N		800 E	BARNES ROAD	0	1	1	5	0	7	2	57	0	\$1,467,221
SH 10	ı		WAIMATE NORTH ROAD	1	3	2	1	1	8	4	38	25	\$1,455,579
SH 12		1060 W	PUNAKITERE LOOP ROAD	1	0	2	1	3	7	4	57	43	\$1,387,059
SH 1N	ı		BARNES ROAD	1	0	3	1	1	6	2	50	33	\$1,382,568
SH 10		1400 S	DUNCAN ROAD	2	2	1	0	0	5	1	20	40	\$1,367,101
SH 1N		370 N	TE RORE ROAD	0	0	3	1	0	4	0	25	25	\$1,326,920
SH 10	ı		KAHIKATEAROA LANE	3	2	0	0	2	7	4	14	14	\$1,296,075
SH 11		1600 S	WAIKARE ROAD	2	1	0	1	2	6	3	50	50	\$1,295,838
SH 1N		1600 E	FRYER ROAD	0	1	0	2	1	4	1	50	50	\$1,277,020
SH 10	ı		PEKERAU ROAD	1	1	1	1	0	4	1	25	25	\$1,266,161
SH 10		1400 N	WAKELIN ROAD	1	0	1	0	1	3	0	67	33	\$1,237,740
SH 12		400 W	MANGATOA ROAD	0	0	1	1	1	3	0	33	33	\$1,237,740
SH 10	ı		PUNGAERE ROAD	2	0	1	0	1	4	1	50	50	\$1,219,200
SH 10		1010 E	KUMI ROAD	0	1	0	0	2	3	0	0	33	\$1,214,220
SH 1N		250 E	WHANGAE ROAD	0	1	3	3	3	10	7	40	10	\$519,883
SH 11		980 W	TE KEMARA AVENUE	5	1	1	1	0	8	4	38	25	\$506,977
SH 12		50 W	WALLIS ROAD	1	3	0	1	3	8	5	25	50	\$457,903
SH 1N		30 N	MARSHALL ROAD N	2	0	2	1	3	8	5	13	63	\$454,179



Table 9.3: State Highway Urban and Rural Black Spot List (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

										Non-	Wet Crash	Dark Crash	
CRASH ROAD			SIDE ROAD	2004	2005	2006	2007	2008	TOTAL	Injury	%	%	Crash Costs
SH 1N		2700 S	TARAKIHI ROAD	4	0	0	0	0	4	0	25	50	\$356,720
SH 12		750 E	PUNAKITERE LOOP ROAD	3	1	0	0	1	5	2	80	0	\$344,178
SH 12	I		MANGAKAHIA ROAD	3	1	1	4	1	10	7	20	0	\$319,556
SH 1N	1		ALLEN BELL DRIVE	3	4	1	1	0	9	6	0	22	\$305,110
SH 1N	1		HUPARA ROAD	1	0	1	2	0	4	1	25	75	\$304,898
SH 10		1500 W	HIHI ROAD	1	0	0	1	2	4	1	25	25	\$304,860
SH 11	I		BEAUFORT ST	1	0	1	0	2	4	1	50	50	\$304,860
SH 11	1		WARD DRIVE	1	0	1	0	2	4	1	75	25	\$304,860
SH 12	1		PARK ROAD	3	2	0	2	1	8	5	0	25	\$292,100
SH 1N		450 N	TRIG ROAD	1	1	0	0	1	3	0	0	33	\$269,500



Table 9.4: Urban Council Road Crash Sites with a Significant Increase in Crashes in 2008 (Injury and Non-Injury Crashes)

Site Radius = 30 metres

CRASH ROAD		SIDE ROAD	2003	2004	2005	2006	2007	2008	TOTAL	Non- Injury	Wet Crash %	Dark Crash %	
DOMINION ROAD	1	RANK ST		2			1	3	6	5	33	33	



Table 9.4a: Rural Council Road Crash Sites with a Significant Increase in Crashes in 2008 (Injury and Non-Injury Crashes)

Site Radius = 250 metres

CRASH ROAD		SIDE ROAD	2003	2004	2005	2006	2007	2008	TOTAL	Non- Injury	Wet Crash %	Dark Crash %
KAITAIA-AWAROA ROAD	820 W	TANGONGE ROAD				1	1	3	5	3	60	40
KAPIRO ROAD	1	PURERUA ROAD					1	3	4	2	50	75
WAIMATE NORTH ROAD	1	OKOKAKO ROAD					1	2	3	1		
BACKRIVER ROAD	150 W	APUTEREWA ROAD				1		2	3	2		33
WAIMATENUI ROAD	1850 S	SH 12	1					2	3	2	67	33



Table 9.5 : State Highway Crash Sites with a Significant Increase in Crashes in 2008 (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

CRASH ROAD		SIDE ROAD	2003	2004	2005	2006	2007	2008	TOTAL	Non- Injury	Wet Crash %	Dark Crash %
SH 1N	1	AKERAMA ROAD	3	3	1	1	2	5	15	7	80	33
SH 1N	1	VOGEL ST	0	1	2	1	0	3	7	5	43	14
SH 10	400 N	OROMAHOE ROAD	1	0	1	1	0	3	6	0	17	83
SH 10	120 \$	KAHIKATEAROA LANE	1	0	0	0	0	2	3	1	0	0
SH 1N	1	SAIES ROAD	1	0	0	0	0	2	3	2	0	67
SH 10	1	BEACH ROAD N	0	1	0	0	0	2	3	2	33	33
SH 1N	1000 E	HAPPY VALLEY ROAD	0	0	0	1	0	2	3	2	0	0
HONGI ST	1	BROADWAY	0	0	0	0	1	2	3	1	33	0
SH 11	50 N	I RIGDEN ROAD	0	1	0	0	0	2	3	3	33	33
SH 1N	340 N	I BROTT ROAD	1	0	0	0	0	2	3	3	67	67
SH 10	1	KUPE ROAD	0	1	0	0	0	2	3	3	0	0


appendix

- Groupings of crash types
- Grouping of contributing factors

Explanatory notes for the appendix

- 1. Each traffic crash report has a diagram and a description of what happened. These are used to classify the movements the vehicles were making when they crashed eg 'collided with parked vehicle', or 'lost control while overtaking'. In this report, crash types are grouped into seven categories. The following page shows the types of crashes which are included in each group.
- 2. Traffic crash reports also include information on why the crash occurred, or on factors contributing to the crash. In this report the hundreds of contributing factor codes used by New Zealand Transport Agency have been condensed into 16 groups for practical reasons. Lists of the factor groups used in this report, and of all the contributing factors used by New Zealand Transport Agency, are shown on the following pages.
- 3. Note that in the year 2000 there were some minor changes to the contributing factor groups. The most significant change was that 'inattention' was grouped with 'inadequate check' to form 'poor observation'. This allowed a more accurate assessment of 'fatigue' as a contributing factor, as it now has its own grouping.
- 4. The factor group 'poor handling' includes factor codes that were only introduced in 1998. This could explain why there may have been a sudden change at this time.
- 5. The coding of the factors contributing to a crash is subjective. Therefore analysis using contributing factor groups needs to be interpreted with caution. Also, to effectively target safety or enforcement campaigns more analysis of the specific contributing factors involved may be needed.
- 6. It should be noted that a traffic crash generally has more than one contributing factor. Therefore, adding the number of crashes on graphs showing the number of crashes with a given factor or factor group will be greater than the total number of crashes in the city or district.

Groupings of crash types



Groupings of contributing factors

Factor group	Factor codes included
Alcohol involved	100 – 101
	103 – 109
Too fast	110 – 119
	430 – 432
Failed to give way or stop	300 – 314
	320 – 328
Failed to keep left	120 – 128
	205
Overtaking	150 – 161
o o	
Incorrect lanes or position	129
	170 – 183
	200 – 204
	206 – 209
	440 – 448
Poor handling	130 – 134
3	137 – 149
	420 – 429
Poor observation	330 – 360
l doi descriution	370 – 379
Poor judgement	380 – 387
	400 – 407
Fatigue	410 – 415
Disabled, old age or illness	500 – 507
Pedestrian factors	700 – 731
Cyclict factors	Any factor and a seciment
Cyclist factors	Any factor coded against a cyclist
	Cyclist
Vehicle factors	136, 600 – 699
Dood footons	125 000 000
Road factors	135, 800 – 899
Weather	900 – 909

Note:

The following factor codes are not included as they do not fit adequately into any of the above groupings: 102, 106, 190–198, 433, 434, 510–534 and 910–999.

FACTORS PROBABLY CONTRIBUTING TO **CRASHES**

DRIVER CONTROL

100 **Alcohol or drugs** 101 Alcohol suspected

- 102 Alcohol test below limit 103 Alcohol test above limit or test
- refused
- 104 Alcohol test result unknown
- 105 Visibly intoxicated non-driver
- (pedestrian / cyclist / passenger) 106 Dead driver not suspected, tested negative (MOT only)
- 107 108 Drugs suspected
- 109 Drugs proven

110 Too fast for conditions

- 111 Cornerina
- 112 On straight
- 113 To give way at intersection 114 Approaching railway crossing
- 115 When passing stationary school bus
- 116 At temporary speed limit 117 At crash or emergency

- 120 **Failed to keep left** 121 Swung wide on bend
 - 122 Swung wide at intersection
- 123 Cutting corner on bend124 Cutting corner at intersection
- 125 On straight section126 Vehicle crossed raised median
- 127 Driving or riding abreast (cyclists more than 2 abreast)
- 128 Wandering or wobbling 129 Too far left / right

130 **Lost control** 131 When turning

- 132 Under heavy braking
- 133 Under heavy acceleration 134 While returning to seal from
- unsealed shoulder
 135 Due to road conditions (requires
- road series code)

 136 Due to vehicle fault (requires vehicle series code)
- 137 Avoiding another vehicle, pedestrian, party or obstacle on roadway 138 On unsealed road
- 139 End of seal

140 Failed to signal in time

- 141 When moving to left, pulling over to left
- 142 When turning left
- 143 When pulling out or moving to the right
- 144 When turning right 145 Incorrect Signal

- 150 **Overtaking**151 Overtaking line of traffic or queue
 - 152 Deliberately in the face of oncoming traffic

 - 153 Failed to notice oncoming traffic154 Misjudged speed or distance of oncoming traffic
 - 155 At no passing line 156 With insufficient visibility

 - 157 At an intersection without due care 158 On left without due care

 - 159 Cut in after overtaking 160 Vehicle signalling right turn 161 Without care at a pedestrian
 - crossina

170 Wrong lane or turned from wrong position171 Turned right from incorrect lane

- 172 Turned left from incorrect lane 173 Travelled straight ahead from
- turning lane or flush median 174 Turned right from left side of road
- 175 Turned left from near centre line
- 176 Turned into incorrect lane
- 177 Weaving or cut in on multi-lane roads
- 178 Moved left to avoid slow vehicle

180 In line of traffic

- 181 Following too closely
- 182 Travelling unreasonably slowly
- 183 Motorist crowded cyclist

190 Sudden action

- 191 Braked
- 192 Turned left 193 Turned right
- 194 Swerved to avoid pedestrian
- 195 Swerved to avoid animal
- 196 Swerved to avoid crash or broken down vehicle
- 197 Swerved to avoid vehicle
- 198 Swerved to avoid object or for unknown reason

- 200 Forbidden movements201 Wrong way in one way street,
 - motorway or roundabout 202 When turning or U turning contrary to a sign
 - 203 Contrary to "in" or "out" only driveway sign

 - 204 Driving or riding on footpath 205 On incorrect side of island or median
 - 206 Contrary to "no entry" sign
 - 207 In Car Park

 - 208 Motor vehicle in cycle lane 209 Bus / Transit lane

VEHICLE CONFLICTS

300 Failed to give way

- 301 At Stop sign
 302 At Give Way sign
 303 When turning to non-turning traffic
 304 When deemed turning by
- markings, not geometry
 305 When turning left, to opposing right turning traffic
 306 To pedestrian on a crossing
- 307 When turning at signals to pedestrians
- 308 When entering roadway from
- driveway
 309 To traffic approaching or crossing
- from the right
 310 Failed to give way at one lane bridge / road
- 311 Failed to give way to pedestrian on footpath or verge
- 312 Entering roadway not from driveway or intersection
- 313 To emergency vehicle 314 Driver waved through

- 320 **Did not stop** 321 At stop sign 322 At steady red light
 - 323 At steady red arrow 324 At steady amber light

 - 325 At steady amber arrow 326 At flashing red lights (Rail Xing,
 - Fire Stn etc)
 327 For police or flag-person
 328 For school patrol / kea crossing

- 330 Inattentive: failed to notice 331 Car slowing, stopping or stopped in front
 - 332 Bend in road
 - 333 Indication of vehicle in front
 - 334 Traffic lights
 - 335 Intersection or its Stop / Give Way control

 - 336 Other regulatory sign / markings 337 Warning sign 338 Direction, information signs /
 - markings 339 Road-works signs
 - 340 Lane use arrows / markings? 341 Obstructions on Roadway

350 Attention diverted by:

- 351 Passengers
- 352 Scenery or persons outside vehicle 353 Other traffic

- 354 Animal or insect in vehicle 355 Trying to find intersection, house number, destination

- 356 Advertising or signs 357 Emotionally upset 358 Cigarette, radio, glove box etc, obj under drivers feet/pedals etc
- 359 Cell phone / navigation device or any communications device 360 Driver dazzled

370 Did not see or look for another

- party until too late 371 Behind when reversing / manoeuvring
- 372 Behind when changing lanes position or direction (includes U-
- turns)
 373 Behind when pulling out from parked position
- 374 Behind when opening door or leaving vehicle
- 375 When required to give way to traffic from another direction
- 376 When required to give way to pedestrians
- 377 When visibility obstructed by other
- vehicles 378 When visibility limited by roadside
- features
 379 When first in queue on receiving green light

380 Misjudged speed, distance, size or position of:381 Other vehicle coming from behind

- or alongside 382 Other vehicle coming from another
- direction with right of way
- 383 Pedestrian movement or intention 384 Towed vehicle, or while towing a vehicle
- 385 Size or position of fixed object or
 - obstacle
- 386 Of own vehicle 387 Misjudged intentions of another party

GENERAL DRIVER

- 400 Inexperience 401 In driving in fast, complex or heavy traffic

 - 402 New driver showed inexperience
 - 403 Driving strange vehicle 404 Overseas driver fails to adjust to
- local conditions 405 Driver under instruction 406 At towing trailer / other vehicle 407 Driver over-reacted

408 Unsupervised cyclist

- 410 Fatigue (drowsy, tired, fell
 - asleep)
 411 Long trip
 - 412 Lack of sleep 413 Exhaust fumes
- 414 Worked long hours before driving

415 Exceeded driving hours

- 420 Incorrect use of vehicle controls
- 421 Started in gear 422 Stalled engine
- 423 Wrong pedal 424 Footrest, stand 425 Ignition turned off (steering
- locked)
- 426 Lights not switched on
- 427 Foot slipped 428 Parking brake not fully applied
- 429 Trailer coupling or safety chain not secured

430 Showing off

- 431 Racing
- 432 Playing chicken 433 Wheel spins / wheelies /
- doughnuts etc 434 Intimidating driving

440 Parked or stopped441 Inadequately lit at night: (not lit

- by street lights or park lights off)
 442 At point of limited visibility
 443 Not as close as practicable to side of road
- 444 On incorrect side of road
- 445 Double parked 446 In 'No Stopping' area
- 447 Not clear of rail crossing 448 In cycle or Transit lane

GENERAL PERSON

500 Illness and disability

- 501 Illness with no warning e.g. heart attack, unexpected epilepsy) 502 Physically disabled

- 503 Defective vision 504 Medical illness (not sudden) flu,
- diabetes 505 Mental illness (depression, psychosis)
- 506 Suicidal (but not successful) 507 Impaired ability due to old age

510 Intentional or criminal

- 511 Deliberate homicide (only if succeeded) 512 Intentional collision
- 513 Committed suicide (only if succeeded)
- 514 Evading enforcement
- 515 Object deliberately thrown at or dropped on vehicle / shot at
- 516 Object thrown from vehicle 517 Stolen vehicle

520 Driver or passenger, boarding, leaving , in vehicle 521 Boarding moving vehicle 522 Intentionally leaving moving

- vehicle 523 Riding in insecure position
- 524 Interfered with driver
- 525 Opened door inadvertently 526 Overloaded vehicle (with
- passengers)
 527 Child playing in parked vehicle

530 Miscellaneous person

- 531 Casualty drowned 532 Casualty thrown from vehicle 533 Equestrian not keeping to verge
- 534 Cyclist or M/cyclist wearing dark clothina

VEHICLES

600 Lights and reflectors at fault or dirtv

- 601 Dazzling headlights
- 602 Headlights inadequate or no headlights
- 603 Headlights failed suddenly 604 Brake-lights or indicators faulty or not fitted
- 605 Tail-lights inadequate or no taillights
- 606 Reflectors inadequate or no reflectors
- 607 Lights or reflectors obscured

610 Brakes

- 611 Parking brake failed
- 612 Parking brake defective 613 Service brake failed
- 614 Service brake defective
- 615 Jack-knifed

620 Steering

- 621 Defective 622 Failed suddenly

630 Tyres

- 631 Puncture or blowout
- 632 Worn tread on tyre 633 Incorrect tyre type
- 634 Mixed treads / space savers

640 Windscreen or mirror

- 641 Shattered windscreen642 Windscreen or rear window dirty
- 643 Rear vision mirror not adjusted correctly 644 No rear vision mirror
- 645 Windscreen or rear window misted/frosted
- 646 Inadequate or no sun-visors
- 647 Inadequate or no windscreen wipers 648 Cycle / Motorcycle visor, glasses,
- goggles or screen

650 Mechanical

- 651 Engine failure 652 Transmission failure (including chains and gears)
- 653 Accelerator or throttle jammed

660 Body or chassis

- 661 Body, chassis or frame (cycle,
- m/c) failure 662 Suspension failure 663 Failure of door catch or door not
- 664 Inadequate mudguards
- 665 Inadequate tow coupling
- 666 Inadequate or no safety chain667 Bonnet catch failed

- 668 Wheel off 669 Broken axle
- 670 Inconspicuous colour
- 671 Blind spot
- 672 Seat belt / restraint failed
- 673 Air-bag failed to inflate (fully)

680 **Load**

- 681 Load interferes with driver
- 682 Not well secured or load moved
- 683 Over-hanging 684 Load obscured vision
- 685 Excess dimensions not adequately indicated
- 686 Over dimension vehicle or load
- 687 Load too heavy 688 Towed vehicle or trailer too heavy or incompatible

690 Miscellaneous vehicle

- 691 Emergency Vehicle attending emergency
- 692 Vehicle caught fire
- 693 Being towed
- 694 Air-bag contributed to crash or iniurv
- 695 Seatbelt / restraint absent or unusable
- 696 Dangerous goods

PEDESTRIANS

- 700 **Walking along road** 701 Not keeping to footpath 702 Not keeping to side of road 703 Not facing oncoming traffic
 - 704 Not on outside of blind curve 705 Wheeled ped inconsiderate or dangerous on footpath

710 Crossing road

- 711 Walking heedless of traffic 712 Stepping out from behind vehicles
- 13 Running heedless of traffic
- 714 Failed to use pedestrian crossing when one within 20 metres
- 715 Waiting on roadway for moving traffic 716 Confused by traffic or stepped
- back 717 Suddenly stepped onto pedestrian
- crossing 718 Not complying with traffic signals or school patrols
- 719 Misjudged speed and / or distance of vehicle

720 Miscellaneous

- 721 Pushing, working on or unloading vehicle
- 722 Playing on road or unnecessarily on road
- 723 Working on road
- 724 Wearing dark clothing 725 Vision obscured by umbrella or clothing
- 726 Child escaped from supervision
- 727 Unsupervised child
- 728 Sitting / lying on road 729 Pedestrian from school bus
- 730 Pedestrian behind reversing / manoeuvring vehicle 731 Overseas pedestrian

ROAD

800 Slippery

- 801 Rain 802 Frost or ice
- 803 Snow or hail
- 804 Loose material on seal 805 Mud
- 806 Oil / Diesel / Fuel 807 Painted markings
- 808 Recently graded 809 Surface bleeding / defective

810 Surface

- 811 Potholed
- 812 Uneven
- 813 Deep loose metal 814 High crown
- 815 Curve not well banked 816 Edge badly defined or gave way
- 817 Under construction or maintenance
- 818 Unusually narrow
- 819 Broken glass

820 Obstructed

- 821 Fallen tree or branch 822 Slip or subsidence
- 823 Flood waters, large puddles, ford
- 824 Road works not adequately lighted 825 Road works not adequately
- signposted 826 Roadside object fell on vehicle
- 827 Object flicked up by vehicle

- 830 Visibility limited
 - 831 Curve 832 Crest

 - 833 Building 834 Trees
 - 835 Hedge or fence
 - 836 Scrub or long grass 837 Bank
- 838 Temporary obstruction, dust or
- smoke 839 Parked vehicle

840 Signs and signals

- 841 Damaged, removed or malfunction 842 Badly located
- 843 Ineffective or inadequate
- 844 Necessary 845 Signals turned off
- 850 Markings
 - 851 Faded 852 Difficult to see under weather
 - conditions
- 853 Markings necessary 854 Not visible due to geometry or
- vehicles 855 Old markings not adequately removed

860 Street lighting

- 861 Failed 862 Inadequate
- 863 Glare on wet road 864 Pedestrian crossing not adequately

- 870 Raised islands and roundabouts
 - 871 Traffic island(s) difficult to see 872 Traffic island(s) Ineffective, badly
 - located or designed

873 Cyclist squeeze point **MISCELLANEOUS**

- 900 Weather 901 Heavy rain
- 902 Dazzling sun
- 903 Strong wind 904 Fog or mist

905 Snow, sleet or hail

- 910 Animals 911 Household pet rushed out or
 - 912 Farm animal straying 913 Farm animal attended, but
- inadequate warning or unexpected 914 Farm animal attended, but out of
- control 915 Wild animal

playing

- 920 Entering or leaving land use
- 921 Roadside stall 922 Service station
- 923 Specialised liquor outlet924 Take away foods
- 925 Shopping complex 926 Car parking building / area 927 Other commercial
- 928 Industrial site929 Private house / farm 930 Other non-commercial931 Mobile shop or vendor

999 Unknown